

# MF231 Datasheet

## MEDIUM-FLOW PRESSURE REGULATOR



● Gas ● Liquid | ● Diaphragm ● Piston | ● Self-Venting ● Non-Venting | Max Inlet: 230 bar (3,350 psi) | Max Outlet: 100 bar (1,450 psi) | Cv 1.0



Image for illustration purposes only

### INTRODUCING THE MF231...

The MF231 is a versatile and economical piston-sensed medium-flow pressure regulator for gas applications.

The MF231 features a **balanced main valve** design as standard which minimises load on the seat and provides stable pressure control under decaying inlet conditions. Additionally, servicing is simplified with easy access to the seat cartridge from the base of the regulator.

### SPECIFICATION

Max. Rated Inlet Pressure	230 bar (3,350 psi)
Outlet Ranges	Up to 100 bar (1,450 psi)
Design Proof Pressure	150% max. working pressure
Seat Leakage	In accordance with ANSI/FCI 70-3
Weight	3kg (6.6lbs)

\* Pressure regulator rating may be limited by connection type, Cv and/or seat material

### STANDARD MATERIALS OF CONSTRUCTION

PART	MATERIALS
Body and Bonnet	AISI 316/316L Stainless Steel (UNS S31600/S31603)
Main Valve Pin	AISI 316/316L Stainless Steel (UNS S31600/S31603)
Soft Seat	PCTFE
Valve Spring	Inconel® X750
Piston	AISI 316/316L Stainless Steel (UNS S31600/S31603)
Handwheel	Nylon
O-Rings	FKM/FPM
Loading Spring	AISI 302 Stainless Steel (UNS S30200)

### FEATURES AND BENEFITS

#### 1 PISTON SENSING ELEMENT

Perfect for use in challenging conditions.

#### 2 BALANCED MAIN VALVE DESIGN

Minimises droop across the flow range.

#### 3 LOW DECAYING PRESSURE EFFECT

Stable outlet pressure under varying inlet conditions.

#### 4 MAIN VALVE BOTTOM ENTRY

Simplified servicing through base of regulator.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues. Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.



DESIGNED AND BUILT IN THE UK



#### PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E sales@pressure-tech.com

W www.pressure-tech.com

220819

PAGE:  
1 OF 4


# MF231 Datasheet

MEDIUM-FLOW PRESSURE REGULATOR



● Gas ● Liquid | ● Diaphragm ● Piston | ● Self-Venting ● Non-Venting | Max Inlet: 230 bar (3,350 psi) | Max Outlet: 100 bar (1,450 psi) | Cv 1.0

## DRAWINGS AND INSTALLATION DIMENSIONS



**Note:**  
All gauge ports are 1/4" NPT as standard.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues. Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.



DESIGNED AND BUILT IN THE UK

**PRESSURE TECH LTD**  
Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH  
T +44 (0)1457 899 307  
E sales@pressure-tech.com  
W www.pressure-tech.com

220819

PAGE:  
2 OF 4

# MF231 Datasheet

## MEDIUM-FLOW PRESSURE REGULATOR




☒ Gas   ☒ Liquid   |   ☒ Diaphragm   ☒ Piston   |   ☒ Self-Venting   ☒ Non-Venting   |   Max Inlet: 230 bar (3,350 psi)   |   Max Outlet: 100 bar (1,450 psi)   |   Cv 1.0

### FLOW CURVE

Please contact the office for further information.

### PORTING CONFIGURATIONS



#### Note:

Additional porting configurations are available - please contact the office for further information.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues. Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.



DESIGNED AND BUILT IN THE UK

#### PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E [sales@pressure-tech.com](mailto:sales@pressure-tech.com)

W [www.pressure-tech.com](http://www.pressure-tech.com)

220819

PAGE:  
3 OF 4

# MF231 Datasheet


## MEDIUM-FLOW PRESSURE REGULATOR



☒ Gas 
 ☒ Liquid 
 ☒ Diaphragm 
 ☒ Piston 
 ☒ Self-Venting 
 ☒ Non-Venting 
 Max Inlet: 230 bar (3,350 psi) 
 Max Outlet: 100 bar (1,450 psi) 
 Cv 1.0

### ORDERING INFORMATION

To build a Pressure Tech part number, simply combine the characters identified below in sequence:



### OPTIONAL EXTRAS

	PART NUMBER	DESCRIPTION
Service Kit	SRK-MF231-1-B...	Various options available
Panel Mount Ring	PT-C-024	-

*Note:*  
Ancillary equipment also available

**TRADEMARKS:** PEEK™ is a trademark of Victrex PLC  
Incone® is a registered trademark of Inco Alloys International

\* Other connections/materials may be available - please contact the office  
\*\* Available up to 400 bar (6,000 psi) inlet with modification - please contact the office

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues.  
Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.



DESIGNED AND BUILT IN THE UK

## Haldatec

Phone: +61 3 9872 5822 Email: [sales@haldatec.com.au](mailto:sales@haldatec.com.au) Website: [www.haldatec.com.au](http://www.haldatec.com.au)

220819

PAGE:  
4 OF 4